



COVID-19 Guidelines for Family Practice Residents: When to leave work, when to swab, when to return

Proviso: *There may be variations of guidelines between Health Authorities. A Health Authority's directive can supersede the Family Practice Program's should it advise more conservative measures.*

Scenario 1: If you are unwell with respiratory symptoms and have no known Covid-19 exposure:

A. Moderate to severe symptoms (cough +/- dyspnea) and temperature over 37.5 degrees celsius po.

Action:

- Leave work
- Try to obtain Covid-19 NP swab
- Self-isolate
- Return to work when asymptomatic for at least 48 hours, a minimum of 5 days from first onset of symptoms

B. Mild symptoms (sore throat, nasal congestion, no cough or dyspnea) and temperature less than 37.5 degrees Celsius po.

Action:

- Leave work
- Self isolate until asymptomatic for 48 hours then return.

Scenario 2: If you have household contacts who are on travel related quarantine:

Action: Contact your local [MHO](#)

Scenario 3: If you have had contact with a known Covid-19 positive patient:

Action:

- Self-monitor for symptoms.
- Follow masking and PPE guidelines for your acute care facility. If working in the community wear a surgical mask until asymptomatic for ten days.
- If any fever or respiratory symptoms develop, regardless of severity, try to obtain NP swab.
- If symptoms develop follow instructions as per *Scenario 1 above*

Scenario 4: If you are found to be Covid-19 positive:

Action:

- Leave work
- Contact MHO if not in contact already

- Return to work after 10 days or 48 hours of being asymptomatic (whichever is longest)
- Repeat swab not necessary before returning to work
- Contact [WorkSafe BC](#)

Sources:

- BCCDC, Covid-19 Care: <http://www.bccdc.ca/health-professionals/clinical-resources/covid-19-care>
- Fraser Health Medical Officer Updates : March 24, 2020
- <https://www.fraserhealth.ca/employees/medical-health-officer-updates#.Xnurr9NKhQI>